

# NEWBORN HEARING SCREENING RESULTS FOR MICHIGAN

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	27848		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	27623		99.19 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			96.42 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	20532		76.44 %
ABR	427		1.59 %
DISTORTION PRODUCT	5889		21.93 %
TEOAE	4		0.01 %
BILATERALLY COMPLETED REPORTS	26852		97.21 %
PASSED	25599		95.31 %
BILATERAL FAIL	363		1.35 %
FAILED IN LEFT EAR ONLY	495		1.84 %
FAILED IN RIGHT EAR ONLY	395		1.47 %
INCOMPLETE SCREEN REPORTS	685		2.48 %
EQUIPMENT FAILURE	48		7.01 %
NEWBORN DISCHARGED	70		10.22 %
NICU HEARING PENDING	256		37.37 %
REFUSED	75		10.95 %
RESTLESSNESS	10		1.46 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	145		21.17 %
DECEASED	42		6.13 %
OTHER	39		5.69 %

## FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	N/A		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2163		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1391)	64.31 %
MISSING CASES	225		0.81 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	363	(270)	74.38 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	890	(673)	75.62 %
INCOMPLETE CASES (RESULTS RECEIVED)	685	(448)	65.40 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN LAPEER REGION , LAPEER

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	136	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	131	96.32 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.85 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	129	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	129	98.47 %
PASSED	121	93.80 %
BILATERAL FAIL	1	0.78 %
FAILED IN LEFT EAR ONLY	5	3.88 %
FAILED IN RIGHT EAR ONLY	2	1.55 %
INCOMPLETE SCREEN REPORTS	2	1.53 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Lake Michigan Hearing Center &amp; Sinus &amp; Sleep Apnea</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15	
TOTAL FOLLOW UP RESULTS RECEIVED **	(8)	53.33 %
MISSING CASES	5	3.68 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(5) 71.43 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ALLEGIANCE HEALTH, JACKSON

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	385	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	382	99.22 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		89.35 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	337	97.97 %
ABR	0	0.00 %
DISTORTION PRODUCT	7	2.03 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	344	90.05 %
PASSED	297	86.34 %
BILATERAL FAIL	6	1.74 %
FAILED IN LEFT EAR ONLY	23	6.69 %
FAILED IN RIGHT EAR ONLY	18	5.23 %
INCOMPLETE SCREEN REPORTS	38	9.95 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	32	84.21 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	5.26 %
RESTLESSNESS	1	2.63 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	7.89 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Allegiance Health System	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	88	
TOTAL FOLLOW UP RESULTS RECEIVED **	(53)	60.23 %
MISSING CASES	3	0.78 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6 (5)	83.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	41 (26)	63.41 %
INCOMPLETE CASES (RESULTS RECEIVED)	38 (22)	57.89 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ALLEGIANCE HEALTH SCN, JACKSON

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	32	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	29	90.63 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		65.63 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	21	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	21	72.41 %
PASSED	19	90.48 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	9.52 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	8	27.59 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	12.50 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	7	87.50 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	53.85 %
MISSING CASES	3		9.38 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(6)	75.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ALPENA REGIONAL MEDICAL CENTER, ALPENA

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	86	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	85	98.84 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	3.57 %
ABR	0	0.00 %
DISTORTION PRODUCT	81	96.43 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	84	98.82 %
PASSED	82	97.62 %
BILATERAL FAIL	1	1.19 %
FAILED IN LEFT EAR ONLY	1	1.19 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.18 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hear USA	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4	
TOTAL FOLLOW UP RESULTS RECEIVED **	(1)	25.00 %
MISSING CASES	1	1.16 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0 0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0 0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ASPIRUS GRAND VIEW HOSPITAL, IRONWOOD

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	20	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	20	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	20	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	20	100.00 %
PASSED	19	95.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	5.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Gerber Mem. Health Serv - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ASPIRUS KEWEENAW HOSPITAL, LAURIUM

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	21	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	21	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.24 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	20	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	20	95.24 %
PASSED	19	95.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	5.00 %
INCOMPLETE SCREEN REPORTS	1	4.76 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Portage Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT OF GROSSE POINTE HOSPITAL, GROSSE POINTE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	130	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	129	99.23 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.46 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	125	97.66 %
ABR	0	0.00 %
DISTORTION PRODUCT	3	2.34 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	128	99.22 %
PASSED	123	96.09 %
BILATERAL FAIL	1	0.78 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	4	3.13 %
INCOMPLETE SCREEN REPORTS	1	0.78 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	100.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital -RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	71.43 %
MISSING CASES	1		0.77 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused



---

NEWBORN HEARING SCREENING RESULTS FOR BELL MEMORIAL HOSPITAL, ISHPEMING

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	67	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	67	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	67	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	67	100.00 %
PASSED	64	95.52 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	2.99 %
FAILED IN RIGHT EAR ONLY	1	1.49 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bell Hospital OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BORGESS MEDICAL CENTER, KALAMAZOO

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	316	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	309	97.78 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.89 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	24	7.92 %
ABR	4	1.32 %
DISTORTION PRODUCT	275	90.76 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	303	98.06 %
PASSED	285	94.06 %
BILATERAL FAIL	10	3.30 %
FAILED IN LEFT EAR ONLY	3	0.99 %
FAILED IN RIGHT EAR ONLY	5	1.65 %
INCOMPLETE SCREEN REPORTS	6	1.94 %
EQUIPMENT FAILURE	2	33.33 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	50.00 %
DECEASED	1	16.67 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	31		
TOTAL FOLLOW UP RESULTS RECEIVED **		(15)	48.39 %
MISSING CASES	7		2.22 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	10	(6)	60.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(8)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(1)	16.67 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BORGESS MEDICAL CENTER- SCN, KALAMAZOO

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	1	50.00 %
DISTORTION PRODUCT	1	50.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	2	100.00 %
PASSED	2	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BOTSFORD GENERAL HOSPITAL, FARMINGTON HILLS

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	180	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	180	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.44 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	16	8.94 %
ABR	15	8.38 %
DISTORTION PRODUCT	146	81.56 %
TEOAE	2	1.12 %
BILATERALLY COMPLETED REPORTS	179	99.44 %
PASSED	166	92.74 %
BILATERAL FAIL	5	2.79 %
FAILED IN LEFT EAR ONLY	3	1.68 %
FAILED IN RIGHT EAR ONLY	5	2.79 %
INCOMPLETE SCREEN REPORTS	1	0.56 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(13)	92.86 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(7)	87.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BRONSON BATTLE CREEK , BATTLE CREEK

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	200	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	192	96.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.50 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	165	86.39 %
ABR	24	12.57 %
DISTORTION PRODUCT	2	1.05 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	191	99.48 %
PASSED	189	98.95 %
BILATERAL FAIL	2	1.05 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	0.52 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11	
TOTAL FOLLOW UP RESULTS RECEIVED **		(2) 18.18 %
MISSING CASES	8	4.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BRONSON METHODIST HOSPITAL, KALAMAZOO

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	765	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	762	99.61 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.82 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	731	99.73 %
ABR	2	0.27 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	733	96.19 %
PASSED	717	97.82 %
BILATERAL FAIL	8	1.09 %
FAILED IN LEFT EAR ONLY	6	0.82 %
FAILED IN RIGHT EAR ONLY	2	0.27 %
INCOMPLETE SCREEN REPORTS	29	3.81 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	25	86.21 %
REFUSED	4	13.79 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	48	
TOTAL FOLLOW UP RESULTS RECEIVED **	(35)	72.92 %
MISSING CASES	3	0.39 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	8 (7)	87.50 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8 (6)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	29 (22)	75.86 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BRONSON METHODIST HOSPITAL - NICU, KALAMAZOO

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	106	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	106	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		14.15 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	15	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	15	14.15 %
PASSED	15	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	91	85.85 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	88	96.70 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	1.10 %
DECEASED	2	2.20 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	91		
TOTAL FOLLOW UP RESULTS RECEIVED **		(71)	78.02 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	91	(71)	78.02 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BURGESS , KATHLEEN, BEAVERTON

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	4		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	4	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	4	100.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont RO- NICU		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused



---

NEWBORN HEARING SCREENING RESULTS FOR BURNETT, JENNIFER, WEST BLOOMFIELD

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pediatric Center of Jackson		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR CARSON CITY HOSPITAL, CARSON CITY

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	102	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	102	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.04 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	1.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	99	99.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	100	98.04 %
PASSED	94	94.00 %
BILATERAL FAIL	2	2.00 %
FAILED IN LEFT EAR ONLY	2	2.00 %
FAILED IN RIGHT EAR ONLY	2	2.00 %
INCOMPLETE SCREEN REPORTS	2	1.96 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8	
TOTAL FOLLOW UP RESULTS RECEIVED **	(6)	75.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2) 50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR CHARLEVOIX HOSPITAL, CHARLEVOIX

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	55	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	55	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.18 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	3.70 %
ABR	0	0.00 %
DISTORTION PRODUCT	52	96.30 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	54	98.18 %
PASSED	47	87.04 %
BILATERAL FAIL	2	3.70 %
FAILED IN LEFT EAR ONLY	3	5.56 %
FAILED IN RIGHT EAR ONLY	2	3.70 %
INCOMPLETE SCREEN REPORTS	1	1.82 %
EQUIPMENT FAILURE	1	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Northern MI Hospital		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4)	80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR CHILDREN'S HOSPITAL OF MICH NICU, DETROIT

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	5		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	60.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		40.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	50.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	1	50.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	2	66.67 %	
PASSED	2	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	1	33.33 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	1	100.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Macomb		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	33.33 %
MISSING CASES	2	40.00 %	
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COMMUNITY HEALTH CENTER OF BRANCH COUNTY,  
COLDWATER

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	72	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	71	98.61 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.83 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	69	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	69	97.18 %
PASSED	66	95.65 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	2.90 %
FAILED IN RIGHT EAR ONLY	1	1.45 %
INCOMPLETE SCREEN REPORTS	2	2.82 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Allegiance Health System		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	50.00 %
MISSING CASES	1		1.39 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR COVENANT HOSPITAL, SAGINAW

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	594	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	594	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	588	98.99 %
ABR	5	0.84 %
DISTORTION PRODUCT	1	0.17 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	594	100.00 %
PASSED	570	95.96 %
BILATERAL FAIL	12	2.02 %
FAILED IN LEFT EAR ONLY	7	1.18 %
FAILED IN RIGHT EAR ONLY	5	0.84 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	24		
TOTAL FOLLOW UP RESULTS RECEIVED **		(14)	58.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	12	(7)	58.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	12	(7)	58.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR COVENANT HOSPITAL NICU, SAGINAW

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	146	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	137	93.84 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		90.41 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	130	98.48 %
ABR	2	1.52 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	132	96.35 %
PASSED	130	98.48 %
BILATERAL FAIL	1	0.76 %
FAILED IN LEFT EAR ONLY	1	0.76 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	3.65 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	20.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	40.00 %
DECEASED	2	40.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16	
TOTAL FOLLOW UP RESULTS RECEIVED **	(7)	43.75 %
MISSING CASES	9	6.16 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR CRITTENTON HOSPITAL, ROCHESTER

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	334		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	331		99.10 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			96.11 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	313		97.20 %
ABR	0		0.00 %
DISTORTION PRODUCT	8		2.48 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	321		96.98 %
PASSED	312		96.89 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	1		0.31 %
FAILED IN RIGHT EAR ONLY	8		2.48 %
INCOMPLETE SCREEN REPORTS	10		3.02 %
EQUIPMENT FAILURE	1		10.00 %
NEWBORN DISCHARGED	7		70.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	1		10.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		10.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	22		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	54.55 %
MISSING CASES	3		0.90 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(7)	77.78 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(5)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused



---

NEWBORN HEARING SCREENING RESULTS FOR DENOMME, EILEEN, MT CLEMONS

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	1	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	1	100.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR DICKINSON COUNTY HEALTHCARE SYSTEM, IRON MOUNTAIN

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	125		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	125	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.40 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	122	99.19 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	1	0.81 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	123	98.40 %	
PASSED	123	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	2	1.60 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	2	100.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Dickinson CO Healthcare - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR FULL CIRCLE MIDWIFERY SERVICE INC, HESPERIA

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	7	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	57.14 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	4	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	57.14 %
MISSING CASES	3		42.86 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR GARDEN CITY OSTEOPATHIC HOSPITAL, GARDEN CITY

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	143	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	143	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.30 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	142	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	142	99.30 %
PASSED	134	94.37 %
BILATERAL FAIL	3	2.11 %
FAILED IN LEFT EAR ONLY	5	3.52 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	0.70 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Garden City Hosp. - Aud	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9	
TOTAL FOLLOW UP RESULTS RECEIVED **		(5) 55.56 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(2) 40.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR GENESYS REGIONAL MED CTR - HEALTH PARK, GRAND BLANC

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	584	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	581	99.49 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.46 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	575	99.83 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	575	98.97 %
PASSED	566	98.26 %
BILATERAL FAIL	1	0.17 %
FAILED IN LEFT EAR ONLY	5	0.87 %
FAILED IN RIGHT EAR ONLY	3	0.52 %
INCOMPLETE SCREEN REPORTS	6	1.03 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	16.67 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	5	83.33 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Comprehensive Hearing Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	18		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	66.67 %
MISSING CASES	3		0.51 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(6)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR GRABOWSKI, COURTENAY, OXFORD

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pediatric Center of Jackson		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR GRATIOT MEDICAL CENTER, ALMA

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	128	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	128	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.22 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	127	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	127	99.22 %
PASSED	126	99.21 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	0.79 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	0.78 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	CMU Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR GREENHOUSE BIRTHCENTER , OKEMOS

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	18	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	7	38.89 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		22.22 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	50.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	50.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	4	57.14 %
PASSED	4	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	42.86 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	3	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	None see EHDI webpage		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	21.43 %
MISSING CASES	11		61.11 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused



---

NEWBORN HEARING SCREENING RESULTS FOR HAYDEN, TAMI, CORAL

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HEALEY , LINDA, BATTLE CREEK

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	12		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1		8.33 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			8.33 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	1		100.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	1		100.00 %
PASSED	1		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	11		91.67 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WYANDOTTE SCN, WYANDOTTE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	6	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		66.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	75.00 %
ABR	1	25.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	4	66.67 %
PASSED	3	75.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	25.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	33.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD HOSPITAL, DETROIT

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	611		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	610		99.84 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			91.98 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	470		83.48 %
ABR	86		15.28 %
DISTORTION PRODUCT	6		1.07 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	562		92.13 %
PASSED	508		90.23 %
BILATERAL FAIL	18		3.20 %
FAILED IN LEFT EAR ONLY	20		3.55 %
FAILED IN RIGHT EAR ONLY	16		2.84 %
INCOMPLETE SCREEN REPORTS	48		7.87 %
EQUIPMENT FAILURE	28		58.33 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	4		8.33 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		4.17 %
DECEASED	2		4.17 %
OTHER	12		25.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Henry Ford Hospital -Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	103		
TOTAL FOLLOW UP RESULTS RECEIVED **		(60)	58.25 %
MISSING CASES	1		0.16 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	18	(10)	55.56 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	36	(20)	55.56 %
INCOMPLETE CASES (RESULTS RECEIVED)	48	(30)	62.50 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD MACOMB HOSPITAL, CLINTON TWP.

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	436	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	434	99.54 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.85 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	322	74.71 %
ABR	109	25.29 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	431	99.31 %
PASSED	427	99.07 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	4	0.93 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	0.69 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Macomb ISD		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	55.56 %
MISSING CASES	2		0.46 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(1)	33.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD W BLOOMFIELD HOSPITAL, WEST BLOOMFIELD

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	430	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	428	99.53 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.14 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	404	95.51 %
ABR	15	3.55 %
DISTORTION PRODUCT	3	0.71 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	422	98.60 %
PASSED	406	95.98 %
BILATERAL FAIL	2	0.47 %
FAILED IN LEFT EAR ONLY	7	1.65 %
FAILED IN RIGHT EAR ONLY	7	1.65 %
INCOMPLETE SCREEN REPORTS	6	1.40 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	5	83.33 %
REFUSED	0	0.00 %
RESTLESSNESS	1	16.67 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Henry Ford West Bloomfield		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	24		
TOTAL FOLLOW UP RESULTS RECEIVED **		(20)	83.33 %
MISSING CASES	2		0.47 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(12)	85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(6)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WYANDOTTE, WYANDOTTE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	362	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	362	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	362	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	362	100.00 %
PASSED	350	96.69 %
BILATERAL FAIL	2	0.55 %
FAILED IN LEFT EAR ONLY	8	2.21 %
FAILED IN RIGHT EAR ONLY	2	0.55 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hug Center for Hearing</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(8)	80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HERSHBERGER, FRIEDA, CLARE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	11		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	11	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	11	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	11	100.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(11)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(11)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused



---

NEWBORN HEARING SCREENING RESULTS FOR HILLSDALE COMMUNITY HEALTH CENTER, HILLSDALE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	72	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	70	97.22 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.83 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	2.90 %
ABR	0	0.00 %
DISTORTION PRODUCT	67	97.10 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	69	98.57 %
PASSED	54	78.26 %
BILATERAL FAIL	6	8.70 %
FAILED IN LEFT EAR ONLY	6	8.70 %
FAILED IN RIGHT EAR ONLY	3	4.35 %
INCOMPLETE SCREEN REPORTS	1	1.43 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hillsdale Comm. Hosp. - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	18		
TOTAL FOLLOW UP RESULTS RECEIVED **		(10)	55.56 %
MISSING CASES	2		2.78 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(6)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HOLLAND HOSPITAL, HOLLAND

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	418	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	418	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.76 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	416	99.76 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.24 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	417	99.76 %
PASSED	403	96.64 %
BILATERAL FAIL	1	0.24 %
FAILED IN LEFT EAR ONLY	6	1.44 %
FAILED IN RIGHT EAR ONLY	7	1.68 %
INCOMPLETE SCREEN REPORTS	1	0.24 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Holland Ob</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15		
TOTAL FOLLOW UP RESULTS RECEIVED **		(14)	93.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	13	(13)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HURLEY MEDICAL CENTER, FLINT

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	641	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	628	97.97 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.04 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	598	96.14 %
ABR	1	0.16 %
DISTORTION PRODUCT	23	3.70 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	622	99.04 %
PASSED	612	98.39 %
BILATERAL FAIL	2	0.32 %
FAILED IN LEFT EAR ONLY	5	0.80 %
FAILED IN RIGHT EAR ONLY	3	0.48 %
INCOMPLETE SCREEN REPORTS	6	0.96 %
EQUIPMENT FAILURE	1	16.67 %
NEWBORN DISCHARGED	1	16.67 %
NICU HEARING PENDING	1	16.67 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	16.67 %
DECEASED	2	33.33 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Motts Children's HC	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	29	
TOTAL FOLLOW UP RESULTS RECEIVED **	(13)	44.83 %
MISSING CASES	13	2.03 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(7) 87.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(5) 83.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HURON MEDICAL CENTER, BAD AXE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	101		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	101	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	101	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	101	100.00 %	
PASSED	101	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Huron Early On		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HURON VALLEY-SINAI HOSP NICU, COMMERCE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	15	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	15	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		93.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	21.43 %
ABR	8	57.14 %
DISTORTION PRODUCT	3	21.43 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	14	93.33 %
PASSED	12	85.71 %
BILATERAL FAIL	1	7.14 %
FAILED IN LEFT EAR ONLY	1	7.14 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	6.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	100.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Children's Hospital Aud.	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3	
TOTAL FOLLOW UP RESULTS RECEIVED **	(2)	66.67 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0 0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HURON VALLEY-SINAI HOSPITAL, COMMERCE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	322	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	319	99.07 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.07 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	11	3.45 %
ABR	39	12.23 %
DISTORTION PRODUCT	269	84.33 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	319	100.00 %
PASSED	301	94.36 %
BILATERAL FAIL	1	0.31 %
FAILED IN LEFT EAR ONLY	9	2.82 %
FAILED IN RIGHT EAR ONLY	8	2.51 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Children's Hospital Aud.		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21		
TOTAL FOLLOW UP RESULTS RECEIVED **		(14)	66.67 %
MISSING CASES	3		0.93 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	17	(13)	76.47 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL, DETROIT

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	898		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	882		98.22 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.22 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	51		5.78 %
ABR	0		0.00 %
DISTORTION PRODUCT	831		94.22 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	882		100.00 %
PASSED	824		93.42 %
BILATERAL FAIL	26		2.95 %
FAILED IN LEFT EAR ONLY	13		1.47 %
FAILED IN RIGHT EAR ONLY	19		2.15 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai Grace Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	74		
TOTAL FOLLOW UP RESULTS RECEIVED **		(24)	32.43 %
MISSING CASES	16		1.78 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	26	(10)	38.46 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	32	(14)	43.75 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL SCN, DETROIT

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	99	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	96	96.97 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.96 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	21	22.11 %
ABR	0	0.00 %
DISTORTION PRODUCT	74	77.89 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	95	98.96 %
PASSED	89	93.68 %
BILATERAL FAIL	5	5.26 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.05 %
INCOMPLETE SCREEN REPORTS	1	1.04 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	100.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai Grace Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	40.00 %
MISSING CASES	3		3.03 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(3)	60.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused



---

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL NICU, DETROIT

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	167	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	164	98.20 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		57.49 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	29	30.21 %
ABR	2	2.08 %
DISTORTION PRODUCT	65	67.71 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	96	58.54 %
PASSED	88	91.67 %
BILATERAL FAIL	5	5.21 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	3	3.13 %
INCOMPLETE SCREEN REPORTS	68	41.46 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	53	77.94 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	13	19.12 %
DECEASED	2	2.94 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Sinai Grace Audiology</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	79	
TOTAL FOLLOW UP RESULTS RECEIVED **		(54) 68.35 %
MISSING CASES	3	1.80 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(3) 60.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(1) 33.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	68	(50) 73.53 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR KEESLAR, IREENA, HOWE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	2	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	2	100.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai Grace Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR KEESLAR, IREENA, HOWE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR LAKELAND MEDICAL CENTER - ST JOSEPH, ST. JOSEPH

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	308	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	308	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.40 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	18	6.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	282	94.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	300	97.40 %
PASSED	294	98.00 %
BILATERAL FAIL	2	0.67 %
FAILED IN LEFT EAR ONLY	2	0.67 %
FAILED IN RIGHT EAR ONLY	2	0.67 %
INCOMPLETE SCREEN REPORTS	8	2.60 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	2	25.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	6	75.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Lake Michigan Hearing Center &amp; Sinus &amp; Sleep Apnea</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(10)	71.43 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(4)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR LAKELAND OF NILES, NILES

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	169	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	169	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.82 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	14	8.38 %
ABR	0	0.00 %
DISTORTION PRODUCT	153	91.62 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	167	98.82 %
PASSED	164	98.20 %
BILATERAL FAIL	2	1.20 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	0.60 %
INCOMPLETE SCREEN REPORTS	2	1.18 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Lake Michigan Hearing Center &amp; Sinus &amp; Sleep Apnea</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	60.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR LAMBRIGHT, MARIETTA, LEROY

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	4	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	4	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>MOSA AUD</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MARQUETTE GENERAL HOSPITAL, MARQUETTE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	155	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	155	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.35 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	148	96.10 %
ABR	0	0.00 %
DISTORTION PRODUCT	6	3.90 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	154	99.35 %
PASSED	153	99.35 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	0.65 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	0.65 %
EQUIPMENT FAILURE	1	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Marquette General Hospital - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MARQUETTE GENERAL HOSPITAL LABORATORY, MARQUETTE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	13	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	13	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	13	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	13	100.00 %
PASSED	13	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Joseph Mercy- Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused



---

NEWBORN HEARING SCREENING RESULTS FOR MARQUETTE GENERAL HOSPITAL-NICU, MARQUETTE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	43	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	42	97.67 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.35 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	15	36.59 %
ABR	0	0.00 %
DISTORTION PRODUCT	26	63.41 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	41	97.62 %
PASSED	39	95.12 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	2.44 %
FAILED IN RIGHT EAR ONLY	1	2.44 %
INCOMPLETE SCREEN REPORTS	1	2.38 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	100.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Marquette General Hospital		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	50.00 %
MISSING CASES	1		2.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MAZZARA, KATE, HOWELL

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	12	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	16.67 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		16.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	50.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	50.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	2	100.00 %
PASSED	2	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	10		83.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN BAY REGION, BAY CITY

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	210	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	208	99.05 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.05 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	208	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	208	100.00 %
PASSED	202	97.12 %
BILATERAL FAIL	1	0.48 %
FAILED IN LEFT EAR ONLY	4	1.92 %
FAILED IN RIGHT EAR ONLY	1	0.48 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Bay Medical OB department		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	62.50 %
MISSING CASES	2		0.95 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4)	80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR MCLAREN CENTRAL MICH. COMMUNITY HOSPITAL, MT.

PLEASANT

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	142	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	142	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.59 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	140	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	140	98.59 %
PASSED	137	97.86 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	1.43 %
FAILED IN RIGHT EAR ONLY	1	0.71 %
INCOMPLETE SCREEN REPORTS	2	1.41 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Central MI University		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	20.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN GREATER LANSING, LANSING

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	311		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	305		98.07 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			96.78 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	301		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	301		98.69 %
PASSED	286		95.02 %
BILATERAL FAIL	1		0.33 %
FAILED IN LEFT EAR ONLY	7		2.33 %
FAILED IN RIGHT EAR ONLY	7		2.33 %
INCOMPLETE SCREEN REPORTS	4		1.31 %
EQUIPMENT FAILURE	1		25.00 %
NEWBORN DISCHARGED	2		50.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		25.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing Health Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	25		
TOTAL FOLLOW UP RESULTS RECEIVED **		(13)	52.00 %
MISSING CASES	6		1.93 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(12)	85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN MACOMB, MT. CLEMENS

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	226		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	222		98.23 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			96.90 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	218		99.54 %
ABR	0		0.00 %
DISTORTION PRODUCT	1		0.46 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	219		98.65 %
PASSED	212		96.80 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	4		1.83 %
FAILED IN RIGHT EAR ONLY	3		1.37 %
INCOMPLETE SCREEN REPORTS	3		1.35 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		66.67 %
DECEASED	1		33.33 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Mount Clemens Gen. Hosp. -OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(10)	71.43 %
MISSING CASES	4		1.77 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(7)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN NORTHERN MICHIGAN HOSPITAL, PETOSKEY

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	150	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	148	98.67 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	4	2.80 %
ABR	0	0.00 %
DISTORTION PRODUCT	139	97.20 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	143	96.62 %
PASSED	124	86.71 %
BILATERAL FAIL	7	4.90 %
FAILED IN LEFT EAR ONLY	5	3.50 %
FAILED IN RIGHT EAR ONLY	7	4.90 %
INCOMPLETE SCREEN REPORTS	5	3.38 %
EQUIPMENT FAILURE	5	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Northern MI Hospital -Neuro DX	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	26	
TOTAL FOLLOW UP RESULTS RECEIVED **	(22)	84.62 %
MISSING CASES	2	1.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7 (6)	85.71 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	12 (11)	91.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	5 (5)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN REGIONAL MED CTR SCN, FLINT

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	12		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	11		91.67 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			91.67 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	11		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	11		100.00 %
PASSED	10		90.91 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	1		9.09 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		8.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused



---

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN REGIONAL MEDICAL CENTER, FLINT

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	123	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	121	98.37 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.37 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	121	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	121	100.00 %
PASSED	117	96.69 %
BILATERAL FAIL	1	0.83 %
FAILED IN LEFT EAR ONLY	2	1.65 %
FAILED IN RIGHT EAR ONLY	1	0.83 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	McLaren Hospital OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	2		1.63 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MECOSTA COUNTY MEDICAL CENTER, BIG RAPIDS

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	139	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	139	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	139	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	139	100.00 %
PASSED	139	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Mecosta OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MEMORIAL HEALTH CARE, OWOSSO

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	93	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	93	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.77 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	10	11.11 %
ABR	0	0.00 %
DISTORTION PRODUCT	80	88.89 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	90	96.77 %
PASSED	74	82.22 %
BILATERAL FAIL	10	11.11 %
FAILED IN LEFT EAR ONLY	4	4.44 %
FAILED IN RIGHT EAR ONLY	2	2.22 %
INCOMPLETE SCREEN REPORTS	3	3.23 %
EQUIPMENT FAILURE	1	33.33 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Memorial Healthcare Ctr - Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	19		
TOTAL FOLLOW UP RESULTS RECEIVED **		(13)	68.42 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	10	(7)	70.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5)	83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(1)	33.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MEMORIAL HOSPITAL OF MASON COUNTY, LUDINGTON

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	85	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	83	97.65 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.65 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	83	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	83	100.00 %
PASSED	79	95.18 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	4	4.82 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Memorial MC of W. MI - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	33.33 %
MISSING CASES	2		2.35 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MERCY HEALTH PARTNERS HACKLEY CAMPUS, MUSKEGON

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	511	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	507	99.22 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.83 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	23	4.55 %
ABR	18	3.56 %
DISTORTION PRODUCT	463	91.68 %
TEOAE	1	0.20 %
BILATERALLY COMPLETED REPORTS	505	99.61 %
PASSED	449	88.91 %
BILATERAL FAIL	33	6.53 %
FAILED IN LEFT EAR ONLY	10	1.98 %
FAILED IN RIGHT EAR ONLY	13	2.57 %
INCOMPLETE SCREEN REPORTS	2	0.39 %
EQUIPMENT FAILURE	1	50.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Mercy Health Partners - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	62		
TOTAL FOLLOW UP RESULTS RECEIVED **		(43)	69.35 %
MISSING CASES	4		0.78 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	33	(26)	78.79 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	23	(16)	69.57 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MERCY HEALTH SERVICES NORTH-CADILLAC, CADILLAC

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	78		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	78	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	78	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	78	100.00 %	
PASSED	72	92.31 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	3	3.85 %	
FAILED IN RIGHT EAR ONLY	3	3.85 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Aud. Services Cadillac		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	83.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5)	83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MERCY HOSPITAL - GRAYLING, GRAYLING

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	67	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	67	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.01 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	3.08 %
ABR	0	0.00 %
DISTORTION PRODUCT	63	96.92 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	65	97.01 %
PASSED	59	90.77 %
BILATERAL FAIL	5	7.69 %
FAILED IN LEFT EAR ONLY	1	1.54 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	2.99 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Mercy Hospital - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(3)	60.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MERCY MEMORIAL HOSPITAL CORP - MONROE, MONROE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	209		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	209	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.22 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	197	98.99 %	
ABR	2	1.01 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	199	95.22 %	
PASSED	177	88.94 %	
BILATERAL FAIL	3	1.51 %	
FAILED IN LEFT EAR ONLY	5	2.51 %	
FAILED IN RIGHT EAR ONLY	14	7.04 %	
INCOMPLETE SCREEN REPORTS	10	4.78 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	10	100.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Henry Ford Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	32		
TOTAL FOLLOW UP RESULTS RECEIVED **		(21)	65.63 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	19	(11)	57.89 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(10)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused



---

NEWBORN HEARING SCREENING RESULTS FOR METRO HEALTH HOSPITAL, WYOMING

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	447	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	444	99.33 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	444	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	444	100.00 %
PASSED	434	97.75 %
BILATERAL FAIL	2	0.45 %
FAILED IN LEFT EAR ONLY	5	1.13 %
FAILED IN RIGHT EAR ONLY	3	0.68 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	69.23 %
MISSING CASES	3		0.67 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(7)	87.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MID-MICHIGAN REGIONAL HEALTH CENTER, MIDLAND

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	283	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	283	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.29 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	272	96.80 %
ABR	0	0.00 %
DISTORTION PRODUCT	9	3.20 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	281	99.29 %
PASSED	271	96.44 %
BILATERAL FAIL	4	1.42 %
FAILED IN LEFT EAR ONLY	5	1.78 %
FAILED IN RIGHT EAR ONLY	1	0.36 %
INCOMPLETE SCREEN REPORTS	2	0.71 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Central MI University		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MUNSON MEDICAL CENTER, TRAVERSE CITY

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	234	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	232	99.15 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		93.16 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	206	94.50 %
ABR	6	2.75 %
DISTORTION PRODUCT	6	2.75 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	218	93.97 %
PASSED	203	93.12 %
BILATERAL FAIL	10	4.59 %
FAILED IN LEFT EAR ONLY	3	1.38 %
FAILED IN RIGHT EAR ONLY	2	0.92 %
INCOMPLETE SCREEN REPORTS	14	6.03 %
EQUIPMENT FAILURE	1	7.14 %
NEWBORN DISCHARGED	8	57.14 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	5	35.71 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC - Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	31		
TOTAL FOLLOW UP RESULTS RECEIVED **		(23)	74.19 %
MISSING CASES	2		0.85 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	10	(10)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	14	(8)	57.14 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MUNSON MEDICAL CENTER NICU, TRAVERSE CITY

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	240	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	235	97.92 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.58 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	213	93.83 %
ABR	11	4.85 %
DISTORTION PRODUCT	3	1.32 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	227	96.60 %
PASSED	216	95.15 %
BILATERAL FAIL	5	2.20 %
FAILED IN LEFT EAR ONLY	2	0.88 %
FAILED IN RIGHT EAR ONLY	4	1.76 %
INCOMPLETE SCREEN REPORTS	8	3.40 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	5	62.50 %
NICU HEARING PENDING	1	12.50 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	25.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC-Audiology</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	24	
TOTAL FOLLOW UP RESULTS RECEIVED **		(16) 66.67 %
MISSING CASES	5	2.08 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(6) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(5) 62.50 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR NORTH OTTAWA COMMUNITY HOSPITAL, GRAND HAVEN

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	93	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	93	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.92 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	92	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	92	98.92 %
PASSED	90	97.83 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	2.17 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.08 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	100.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	North Ottawa OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR OAKLAWN HOSPITAL, MARSHALL

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	186	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	185	99.46 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.92 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	184	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	184	99.46 %
PASSED	177	96.20 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	1.63 %
FAILED IN RIGHT EAR ONLY	4	2.17 %
INCOMPLETE SCREEN REPORTS	1	0.54 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown Hearing Centers		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	33.33 %
MISSING CASES	1		0.54 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(2)	28.57 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD ANNAPOLIS HOSPITAL, WAYNE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	175	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	175	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	175	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	175	100.00 %
PASSED	166	94.86 %
BILATERAL FAIL	1	0.57 %
FAILED IN LEFT EAR ONLY	5	2.86 %
FAILED IN RIGHT EAR ONLY	3	1.71 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	77.78 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD HOSPITAL, DEARBORN

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	956		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	952		99.58 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.58 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	952		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	952		100.00 %
PASSED	895		94.01 %
BILATERAL FAIL	7		0.74 %
FAILED IN LEFT EAR ONLY	30		3.15 %
FAILED IN RIGHT EAR ONLY	20		2.10 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	61		
TOTAL FOLLOW UP RESULTS RECEIVED **		(44)	72.13 %
MISSING CASES	4		0.42 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(4)	57.14 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	50	(40)	80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused



---

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD HOSPITAL - NICU, DEARBORN

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	70	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	65	92.86 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		72.86 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	49	94.23 %
ABR	2	3.85 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	51	78.46 %
PASSED	46	88.46 %
BILATERAL FAIL	2	3.85 %
FAILED IN LEFT EAR ONLY	2	3.85 %
FAILED IN RIGHT EAR ONLY	1	1.92 %
INCOMPLETE SCREEN REPORTS	14	21.54 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	7.14 %
NICU HEARING PENDING	2	14.29 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	5	35.71 %
DECEASED	6	42.86 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	24	
TOTAL FOLLOW UP RESULTS RECEIVED **	(16)	66.67 %
MISSING CASES	5	7.14 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	14	(11) 78.57 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD SOUTHSORE BIRTHING, TRENTON

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	11	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	11	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	11	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	11	100.00 %
PASSED	10	90.91 %
BILATERAL FAIL	1	9.09 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Holley Ear Institute</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD SOUTHSORE MEDICAL CENTER, TRENTON

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	153	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	150	98.04 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.39 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	147	98.66 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	1.34 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	149	99.33 %
PASSED	139	93.29 %
BILATERAL FAIL	3	2.01 %
FAILED IN LEFT EAR ONLY	3	2.01 %
FAILED IN RIGHT EAR ONLY	4	2.68 %
INCOMPLETE SCREEN REPORTS	1	0.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14	
TOTAL FOLLOW UP RESULTS RECEIVED **	(8)	57.14 %
MISSING CASES	3	1.96 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(5) 71.43 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR OTSEGO MEMORIAL HOSPITAL, GAYLORD

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	68	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	60	88.24 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		88.24 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	58	96.67 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	3.33 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	60	100.00 %
PASSED	60	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Otsego Memorial Hospital - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	8		11.76 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PENNOCK HOSPITAL, HASTINGS

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	82	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	82	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.78 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	81	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	81	98.78 %
PASSED	77	95.06 %
BILATERAL FAIL	1	1.23 %
FAILED IN LEFT EAR ONLY	3	3.70 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.22 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	1	100.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pennock Hospital - OB	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5	
TOTAL FOLLOW UP RESULTS RECEIVED **		(5) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PERA , SANDRA, WAKEFIELD

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	4	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	3	75.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	25.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3)	75.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PINTER, WENDY, CLARKSTON

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	5		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	5	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	1	20.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	4	80.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Macomb		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	20.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(1)	20.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PORT HURON HOSPITAL, PORT HURON

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	297	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	297	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.96 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	285	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	285	95.96 %
PASSED	281	98.60 %
BILATERAL FAIL	3	1.05 %
FAILED IN LEFT EAR ONLY	1	0.35 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	12	4.04 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	2	16.67 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	10	83.33 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Port Huron Hospital - FBP		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16		
TOTAL FOLLOW UP RESULTS RECEIVED **		(11)	68.75 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	12	(8)	66.67 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused



---

NEWBORN HEARING SCREENING RESULTS FOR PORTAGE HEALTH SYSTEM LAB, HANCOCK

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	96	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	94	97.92 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		87.50 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	82	97.62 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	2.38 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	84	89.36 %
PASSED	68	80.95 %
BILATERAL FAIL	3	3.57 %
FAILED IN LEFT EAR ONLY	4	4.76 %
FAILED IN RIGHT EAR ONLY	9	10.71 %
INCOMPLETE SCREEN REPORTS	10	10.64 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	10.00 %
NICU HEARING PENDING	1	10.00 %
REFUSED	0	0.00 %
RESTLESSNESS	1	10.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	7	70.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Portage Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	28	
TOTAL FOLLOW UP RESULTS RECEIVED **	(22)	78.57 %
MISSING CASES	2	2.08 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	13	(12) 92.31 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(7) 70.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PROEFROCK, STACIA, ANN ARBOR

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	7	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	57.14 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	4	100.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	14.29 %
MISSING CASES	3		42.86 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(1)	25.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PROMEDICA BIXBY HOSPITAL, ADRIAN

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	191	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	189	98.95 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.95 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	167	88.36 %
ABR	20	10.58 %
DISTORTION PRODUCT	2	1.06 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	189	100.00 %
PASSED	170	89.95 %
BILATERAL FAIL	2	1.06 %
FAILED IN LEFT EAR ONLY	5	2.65 %
FAILED IN RIGHT EAR ONLY	12	6.35 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Lenawee County Early On</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21		
TOTAL FOLLOW UP RESULTS RECEIVED **		(18)	85.71 %
MISSING CASES	2		1.05 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	17	(16)	94.12 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PROVIDENCE HOSPITAL, SOUTHFIELD

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	468	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	466	99.57 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.29 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	54	11.74 %
ABR	0	0.00 %
DISTORTION PRODUCT	406	88.26 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	460	98.71 %
PASSED	454	98.70 %
BILATERAL FAIL	2	0.43 %
FAILED IN LEFT EAR ONLY	1	0.22 %
FAILED IN RIGHT EAR ONLY	3	0.65 %
INCOMPLETE SCREEN REPORTS	6	1.29 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	16.67 %
NICU HEARING PENDING	2	33.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	33.33 %
DECEASED	1	16.67 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14	
TOTAL FOLLOW UP RESULTS RECEIVED **	(8)	57.14 %
MISSING CASES	2	0.43 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(2) 33.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PROVIDENCE PARK HOSPITAL, NOVI

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	548	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	546	99.64 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.45 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	36	6.61 %
ABR	0	0.00 %
DISTORTION PRODUCT	508	93.21 %
TEOAE	1	0.18 %
BILATERALLY COMPLETED REPORTS	545	99.82 %
PASSED	528	96.88 %
BILATERAL FAIL	5	0.92 %
FAILED IN LEFT EAR ONLY	7	1.28 %
FAILED IN RIGHT EAR ONLY	5	0.92 %
INCOMPLETE SCREEN REPORTS	1	0.18 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	20		
TOTAL FOLLOW UP RESULTS RECEIVED **		(17)	85.00 %
MISSING CASES	2		0.36 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4)	80.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	12	(12)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR RUSK, SUSAN, JONESVILLE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	15	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	9	60.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	9	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	22.22 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	7	77.78 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hear USA</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	13.33 %
MISSING CASES	6		40.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	9	(2)	22.22 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SINAI-GRACE HOSPITAL, DETROIT

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	323	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	321	99.38 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.74 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	53	17.32 %
ABR	0	0.00 %
DISTORTION PRODUCT	253	82.68 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	306	95.33 %
PASSED	294	96.08 %
BILATERAL FAIL	4	1.31 %
FAILED IN LEFT EAR ONLY	4	1.31 %
FAILED IN RIGHT EAR ONLY	4	1.31 %
INCOMPLETE SCREEN REPORTS	15	4.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	2	13.33 %
NICU HEARING PENDING	11	73.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	2	13.33 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai-Grace Hospital - Aud	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	29	
TOTAL FOLLOW UP RESULTS RECEIVED **		(18) 62.07 %
MISSING CASES	2	0.62 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3) 75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6) 75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	15	(9) 60.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SOUTH HAVEN HEALTH SYSTEM, SOUTH HAVEN

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	86	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	86	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	12	14.29 %
ABR	0	0.00 %
DISTORTION PRODUCT	72	85.71 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	84	97.67 %
PASSED	80	95.24 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	2.38 %
FAILED IN RIGHT EAR ONLY	2	2.38 %
INCOMPLETE SCREEN REPORTS	2	2.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused



---

NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL, LANSING

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	921	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	918	99.67 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.35 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	157	17.16 %
ABR	3	0.33 %
DISTORTION PRODUCT	755	82.51 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	915	99.67 %
PASSED	857	93.66 %
BILATERAL FAIL	15	1.64 %
FAILED IN LEFT EAR ONLY	21	2.30 %
FAILED IN RIGHT EAR ONLY	22	2.40 %
INCOMPLETE SCREEN REPORTS	3	0.33 %
EQUIPMENT FAILURE	1	33.33 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	33.33 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	33.33 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	64		
TOTAL FOLLOW UP RESULTS RECEIVED **		(55)	85.94 %
MISSING CASES	3		0.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	15	(12)	80.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	43	(39)	90.70 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(4)	133.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL - CENTRAL PROCESSING, LANSING

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai Grace Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL - NICU, LANSING

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	115	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	111	96.52 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.78 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	79	72.48 %
ABR	25	22.94 %
DISTORTION PRODUCT	5	4.59 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	109	98.20 %
PASSED	105	96.33 %
BILATERAL FAIL	2	1.83 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	1.83 %
INCOMPLETE SCREEN REPORTS	2	1.80 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	2	100.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Sinai Grace Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	30.00 %
MISSING CASES	4		3.48 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH BUTTERWORTH CAMPUS, GRAND RAPIDS

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	1740	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1738	99.89 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.48 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1731	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1731	99.60 %
PASSED	1705	98.50 %
BILATERAL FAIL	3	0.17 %
FAILED IN LEFT EAR ONLY	13	0.75 %
FAILED IN RIGHT EAR ONLY	10	0.58 %
INCOMPLETE SCREEN REPORTS	7	0.40 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	5	71.43 %
REFUSED	1	14.29 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	14.29 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	35	
TOTAL FOLLOW UP RESULTS RECEIVED **	(25)	71.43 %
MISSING CASES	2	0.11 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	23	(19) 82.61 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(3) 42.86 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH CARE- NICU, GRAND RAPIDS

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	178		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	176		98.88 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			75.28 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	134		98.53 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	134		76.14 %
PASSED	133		97.79 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	1		0.74 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	42		23.86 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	38		90.48 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		2.38 %
DECEASED	3		7.14 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	45		
TOTAL FOLLOW UP RESULTS RECEIVED **		(22)	48.89 %
MISSING CASES	2		1.12 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	42	(21)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH GERBER MEMORIAL, FREMONT

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	106	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	106	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	105	99.06 %
ABR	1	0.94 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	106	100.00 %
PASSED	103	97.17 %
BILATERAL FAIL	2	1.89 %
FAILED IN LEFT EAR ONLY	1	0.94 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Gerber Mem. Health Serv - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH UNITED MEMORIAL, GREENVILLE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	113	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	113	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.35 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	104	94.55 %
ABR	6	5.45 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	110	97.35 %
PASSED	105	95.45 %
BILATERAL FAIL	3	2.73 %
FAILED IN LEFT EAR ONLY	1	0.91 %
FAILED IN RIGHT EAR ONLY	1	0.91 %
INCOMPLETE SCREEN REPORTS	3	2.65 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	33.33 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	37.50 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST FRANCIS HOSPITAL, ESCANABA

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	70	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	70	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.57 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	66	95.65 %
ABR	2	2.90 %
DISTORTION PRODUCT	1	1.45 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	69	98.57 %
PASSED	67	97.10 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.45 %
FAILED IN RIGHT EAR ONLY	1	1.45 %
INCOMPLETE SCREEN REPORTS	1	1.43 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St. Francis OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused



---

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN DETROIT NICU-182001, DETROIT

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	85	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	82	96.47 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.29 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	80	98.77 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	1.23 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	81	98.78 %
PASSED	75	92.59 %
BILATERAL FAIL	3	3.70 %
FAILED IN LEFT EAR ONLY	2	2.47 %
FAILED IN RIGHT EAR ONLY	1	1.23 %
INCOMPLETE SCREEN REPORTS	1	1.22 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	100.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Holley Ear Institute	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10	
TOTAL FOLLOW UP RESULTS RECEIVED **	(5)	50.00 %
MISSING CASES	3	3.53 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN HOSP DETROIT SPECIAL CARE, DETROIT

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	67	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	64	95.52 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		92.54 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	62	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	62	96.88 %
PASSED	50	80.65 %
BILATERAL FAIL	2	3.23 %
FAILED IN LEFT EAR ONLY	6	9.68 %
FAILED IN RIGHT EAR ONLY	4	6.45 %
INCOMPLETE SCREEN REPORTS	2	3.13 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	2	100.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Macomb	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17	
TOTAL FOLLOW UP RESULTS RECEIVED **	(13)	76.47 %
MISSING CASES	3	4.48 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(9) 90.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN HOSPITAL, DETROIT

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	708	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	702	99.15 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.87 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	693	99.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	7	1.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	700	99.72 %
PASSED	618	88.29 %
BILATERAL FAIL	18	2.57 %
FAILED IN LEFT EAR ONLY	44	6.29 %
FAILED IN RIGHT EAR ONLY	20	2.86 %
INCOMPLETE SCREEN REPORTS	2	0.28 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St. John Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	90		
TOTAL FOLLOW UP RESULTS RECEIVED **		(63)	70.00 %
MISSING CASES	6		0.85 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	18	(12)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	64	(49)	76.56 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN MACOMB HOSPITAL, WARREN

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	306		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	306	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.67 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	305	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	305	99.67 %	
PASSED	280	91.80 %	
BILATERAL FAIL	7	2.30 %	
FAILED IN LEFT EAR ONLY	12	3.93 %	
FAILED IN RIGHT EAR ONLY	6	1.97 %	
INCOMPLETE SCREEN REPORTS	1	0.33 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	1	100.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Macomb Aud.		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	26		
TOTAL FOLLOW UP RESULTS RECEIVED **		(22)	84.62 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(5)	71.43 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	18	(17)	94.44 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN MACOMB HOSPITAL -SCN, WARREN

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	8	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	8	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	8	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	8	100.00 %
PASSED	8	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Macomb		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN RIVER DISTRICT HOSPITAL, EAST CHINA

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	67	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	67	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.01 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	65	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	65	97.01 %
PASSED	64	98.46 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.54 %
INCOMPLETE SCREEN REPORTS	2	2.99 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John-River District Hosp - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	33.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL, ANN ARBOR

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	849	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	848	99.88 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.88 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	842	99.29 %
ABR	4	0.47 %
DISTORTION PRODUCT	2	0.24 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	848	100.00 %
PASSED	838	98.82 %
BILATERAL FAIL	3	0.35 %
FAILED IN LEFT EAR ONLY	6	0.71 %
FAILED IN RIGHT EAR ONLY	1	0.12 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	MOSA Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	45.45 %
MISSING CASES	1		0.12 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(1)	33.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(4)	57.14 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL - NICU, ANN ARBOR

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	54	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	53	98.15 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		87.04 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	46	97.87 %
ABR	1	2.13 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	47	88.68 %
PASSED	46	97.87 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	2.13 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	6	11.32 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	5	83.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	16.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>MOSA AUD</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	12.50 %
MISSING CASES	1		1.85 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused



---

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL PONTIAC, PONTIAC

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	396		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	396	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	3	0.76 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	393	99.24 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	396	100.00 %	
PASSED	358	90.40 %	
BILATERAL FAIL	17	4.29 %	
FAILED IN LEFT EAR ONLY	12	3.03 %	
FAILED IN RIGHT EAR ONLY	9	2.27 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St Joseph Mercy -Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	38		
TOTAL FOLLOW UP RESULTS RECEIVED **		(33)	86.84 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	17	(16)	94.12 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	21	(17)	80.95 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL PONTIAC NICU, PONTIAC

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	73	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	73	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		90.41 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	42	63.64 %
ABR	0	0.00 %
DISTORTION PRODUCT	24	36.36 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	66	90.41 %
PASSED	60	90.91 %
BILATERAL FAIL	3	4.55 %
FAILED IN LEFT EAR ONLY	1	1.52 %
FAILED IN RIGHT EAR ONLY	2	3.03 %
INCOMPLETE SCREEN REPORTS	7	9.59 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	14.29 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	42.86 %
DECEASED	3	42.86 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Joseph Mercy- Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	69.23 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(4)	57.14 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST MARY HOSPITAL - LIVONIA, LIVONIA

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	223	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	222	99.55 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.76 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	218	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	218	98.20 %
PASSED	216	99.08 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	0.92 %
INCOMPLETE SCREEN REPORTS	4	1.80 %
EQUIPMENT FAILURE	2	50.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	1	25.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	25.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St Mary's Hospital OB-Livonia		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	57.14 %
MISSING CASES	1		0.45 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(2)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST MARY'S HEALTH CARE - GRAND RAPIDS, GRAND RAPIDS

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	488		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	487		99.80 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.80 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	474		97.33 %
ABR	6		1.23 %
DISTORTION PRODUCT	7		1.44 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	487		100.00 %
PASSED	471		96.71 %
BILATERAL FAIL	5		1.03 %
FAILED IN LEFT EAR ONLY	6		1.23 %
FAILED IN RIGHT EAR ONLY	5		1.03 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17		
TOTAL FOLLOW UP RESULTS RECEIVED **		(16)	94.12 %
MISSING CASES	1		0.20 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(11)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST MARY'S MERCY MEDICAL CENTER - NICU, GRAND RAPIDS

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	44	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	44	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.73 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	42	97.67 %
ABR	1	2.33 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	43	97.73 %
PASSED	40	93.02 %
BILATERAL FAIL	1	2.33 %
FAILED IN LEFT EAR ONLY	2	4.65 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	2.27 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	100.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	25.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR STURGIS HOSPITAL, STURGIS

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	94	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	94	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.68 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	88	98.88 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	1.12 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	89	94.68 %
PASSED	87	97.75 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.12 %
FAILED IN RIGHT EAR ONLY	1	1.12 %
INCOMPLETE SCREEN REPORTS	5	5.32 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	20.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	80.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	71.43 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(3)	60.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR TAWAS ST. JOSEPH HOSPITAL, TAWAS CITY

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	75	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	74	98.67 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	69	94.52 %
ABR	1	1.37 %
DISTORTION PRODUCT	3	4.11 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	73	98.65 %
PASSED	63	86.30 %
BILATERAL FAIL	2	2.74 %
FAILED IN LEFT EAR ONLY	6	8.22 %
FAILED IN RIGHT EAR ONLY	2	2.74 %
INCOMPLETE SCREEN REPORTS	1	1.35 %
EQUIPMENT FAILURE	1	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hear USA	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12	
TOTAL FOLLOW UP RESULTS RECEIVED **	(5)	41.67 %
MISSING CASES	1	1.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(3) 37.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0 0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR THREE RIVERS AREA HOSPITAL, THREE RIVERS

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	64	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	63	98.44 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.88 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	62	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	62	98.41 %
PASSED	61	98.39 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.61 %
INCOMPLETE SCREEN REPORTS	1	1.59 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	100.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Three Rivers OB Department		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	1		1.56 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused



---

NEWBORN HEARING SCREENING RESULTS FOR U OF M HOSPITAL, ANN ARBOR

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	985	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	981	99.59 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.17 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	966	99.90 %
ABR	1	0.10 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	967	98.57 %
PASSED	912	94.31 %
BILATERAL FAIL	17	1.76 %
FAILED IN LEFT EAR ONLY	20	2.07 %
FAILED IN RIGHT EAR ONLY	18	1.86 %
INCOMPLETE SCREEN REPORTS	14	1.43 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	7.14 %
NICU HEARING PENDING	8	57.14 %
REFUSED	1	7.14 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	4	28.57 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University of MI HS - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	73		
TOTAL FOLLOW UP RESULTS RECEIVED **		(48)	65.75 %
MISSING CASES	4		0.41 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	17	(14)	82.35 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	38	(27)	71.05 %
INCOMPLETE CASES (RESULTS RECEIVED)	14	(7)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR U OF M HOSPITAL - NICU, ANN ARBOR

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	10		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	9		90.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			70.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	7		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	7		77.78 %
PASSED	6		85.71 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	1		14.29 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	2		22.22 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	1		50.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	1		50.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University of Michigan HS- Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	50.00 %
MISSING CASES	1		10.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR VISSER , YOLANDA, GRAND RAPIDS

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	9	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	33.33 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		33.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	66.67 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	33.33 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	3	100.00 %
PASSED	3	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	6		66.67 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR WAR MEMORIAL HOSPITAL, SAULT STE MARIE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	74	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	71	95.95 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		91.89 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	68	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	68	95.77 %
PASSED	62	91.18 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.47 %
FAILED IN RIGHT EAR ONLY	5	7.35 %
INCOMPLETE SCREEN REPORTS	3	4.23 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	2	66.67 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	33.33 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Chippewa War Mem. Hosp. - Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	33.33 %
MISSING CASES	3		4.05 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(2)	33.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR WEAVER, KATIE, SEARS

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	8	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	8	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	8	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	8	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(8)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR WENTE, SUSAN, NEWAGO

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	11	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	36.36 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		9.09 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	25.00 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	75.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	33.33 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	2	66.67 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	10.00 %
MISSING CASES	7		63.64 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(1)	33.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR WEST SHORE MEDICAL CENTER, MANISTEE

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	57	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	57	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.25 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	4	7.14 %
ABR	0	0.00 %
DISTORTION PRODUCT	52	92.86 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	56	98.25 %
PASSED	50	89.29 %
BILATERAL FAIL	2	3.57 %
FAILED IN LEFT EAR ONLY	3	5.36 %
FAILED IN RIGHT EAR ONLY	1	1.79 %
INCOMPLETE SCREEN REPORTS	1	1.75 %
EQUIPMENT FAILURE	1	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	West MI ENT	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7	
TOTAL FOLLOW UP RESULTS RECEIVED **	(6)	85.71 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3) 75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - RO, ROYAL OAK

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	1175		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1171		99.66 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.66 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1170		99.91 %
ABR	1		0.09 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	1171		100.00 %
PASSED	1136		97.01 %
BILATERAL FAIL	8		0.68 %
FAILED IN LEFT EAR ONLY	18		1.54 %
FAILED IN RIGHT EAR ONLY	9		0.77 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital- RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	39		
TOTAL FOLLOW UP RESULTS RECEIVED **		(32)	82.05 %
MISSING CASES	4		0.34 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	8	(7)	87.50 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	27	(25)	92.59 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused



---

NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - RO - NICU, ROYAL OAK

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	107	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	99	92.52 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		88.79 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	95	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	95	95.96 %
PASSED	91	95.79 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	3.16 %
FAILED IN RIGHT EAR ONLY	1	1.05 %
INCOMPLETE SCREEN REPORTS	4	4.04 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	25.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	50.00 %
DECEASED	1	25.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont RO- NICU		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	25.00 %
MISSING CASES	8		7.48 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(2)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - TROY, TROY

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	778	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	778	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.74 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	775	99.87 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.13 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	776	99.74 %
PASSED	753	97.04 %
BILATERAL FAIL	5	0.64 %
FAILED IN LEFT EAR ONLY	13	1.68 %
FAILED IN RIGHT EAR ONLY	5	0.64 %
INCOMPLETE SCREEN REPORTS	2	0.26 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital- RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	25		
TOTAL FOLLOW UP RESULTS RECEIVED **		(21)	84.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	18	(15)	83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - TROY - NICU, TROY

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	92	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	91	98.91 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.91 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	91	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	91	100.00 %
PASSED	86	94.51 %
BILATERAL FAIL	1	1.10 %
FAILED IN LEFT EAR ONLY	2	2.20 %
FAILED IN RIGHT EAR ONLY	2	2.20 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	83.33 %
MISSING CASES	1		1.09 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ZEELAND COMMUNITY HOSPITAL, ZEELAND

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	145	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	144	99.31 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.31 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	143	99.31 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.69 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	144	100.00 %
PASSED	141	97.92 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	1.39 %
FAILED IN RIGHT EAR ONLY	1	0.69 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	1		0.69 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ZOYIOPOULOS , LAURIE, MARION

---

NEWBORN SCREENS FROM 04/01/2012 - 06/30/2012	14		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	13		92.86 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	0		0.00 %
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	13		100.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	13		100.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont RO- NICU		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(13)	92.86 %
MISSING CASES	1		7.14 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	13	(13)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ZOYIOPOULOS , LAURIE, MARION

---